House Scale Factors


Red Delta Jordan Vice Pass of

Declar Califolick Securities (1987)

Elmer G Biddick

CHARITABLE FOUNDATION

11623 State Road 80 Livingston, WI 53554 Phone (608) 943-6363 Fax (608) 943-6365 www.biddickfoundation.com



GRANT APPLICATION

*Must be received in our office on or before the due dates below

Due Dates April 15th and October 15th

Date: January 12, 2017 Name of Organization (must match IRS 501(c)(3) designation) Village of Montfort, WI
Address 102 E. Park St.
City, State, Zip Mon Tfort, WI 53569
Phone Village Clerk- 608-943- 6917 Shelly Kazda
Person Responsible for the Grant Linda Callins (TRUSTEE) 108-728-8873
Position in the Organization TRUS TEE, Comm. The member of: Pool, library, ording organization's Purpose We are responsible for improvement
of the Village of Mort fort for several ages of consumers.
Theincludes children, volunteers, Aduts, fundraisins, FW members,
and businoss owners. We encourage volunteer participation in all areas
This application must include your organization's latest IRS Letter of Determination showing exemption and public
support status. (Not required for units of Government & public schools). (Chro Fen cing - 7146.)
support status. (Not required for units of Government & public schools). Grant Request \$ 2000 - 10,000
The purpose, at this time, is to request monies to be
used to buy and build a metal fence in the ballfield outfield
So the ball doesn't roll down the hill and to support Advertising
that may generate future profit to be used for other needs
of the ballfield (a Hacked expense needs) The ball field is located at 106 maple
Founded to Further the Growth Of Our Communty.

Crist Fencing LLC

16395 MEYLOR LANE DARLINGTON, WI 53530 608-482-1093 OR traviscrist77@yahoo.com

		4 8		-	4 -
Section 1	C	TI	m	2	te
Blacco		£ 1	8 8 E	CI	

Date	Estimate #
12/23/2016	1188

Name / Address	
Village of Monfort	

Project

Qty	Description	Rate	Total
	Ball Field 400ft. 2" x 9ga x 6' KK Aluminized Fence 400ft 1 5/8 Top Rail DQ40 Pipe 2- End Post 2 7/8 x 10' DQ 40 Post 39- Line Post 2 3/8 x 9' DQ40 Post Material Cost Labor for Installation Estimate Good Until 1/13/2017 5% to 8% Price Increase in Next Two Weeks On Pipe Prices	3,481.00 2,900.00	3,481.00 2,900.00
	5% to 8% Price increase in Next 1 wo weeks On Pipe Prices		
	Signature 		

Thank you for your business.

Total

\$6,381.00

938), 00 × 08 MARCASE 6383 2148



P.O. BOX 727, Pewaukee WI. 53072-0727

Office **Toll Free** Fax Cellular E-Mail

(262)-547-3331 (800)-558-0507 (262)-691-3463 (262)-993-5515 mcrapp@centuryfence.com

11/18/2016

Phone: 608-778-8873 Fax:

Proposal To:

Montfort Municipalities

Ship To: Ballfield

Linda Collins 106 Maple Street Montfort, WI 53569
✓ Installed
400' Chain link fence without barbed wire, 6' high overall. Fabric shall be 2" mesh 9 gauge galvanized wire. Line posts shall be 2 1/2" O.D. and spaced a maximum of 8' on centers for advertisement hanging.
1 5/8" top rail.
7ga bottom tension wire.
2 - 3" Steel pipe End posts, 6' high.
All posts driven 4'.
Material and Labor: \$7,800.00
Excludes any rock digging

only 4 high -?

Acceptance: This proposal when accepted in writing by purchaser and by Century Fence Company's Main Office becomes a contract		
		onditions" sheet are made a part of this contract.
Terms of Payment: Net Cash upon receipt of	f invoice.	
Buyer's signature	Date	Submitted by
Annal Anna		Michael Crann



Village of Montfort Specifications and Proposal for ball Field designed to have signs and withstand 80 MPH Wind 11/11/2016

Linda Collins

Linda,

These are the specifications for a 6'tall fence that will withstand 80 mph winds with signs on it. The specifications for the size of the signs and height that they can be installed at are also included.


Terminal Posts	2 7/8 x 10' SS 40 Galvanized Post ASTM F 1043 Group IC			
Line posts	2 3/8 x 10' SS Galvanized 40 Post ASTM F 1043 Group IC @ 8' Centers			
Concrete footings	12" Diameter x 4.5' deep with top of concrete 6" below ground level			
Top Rail	1 5/8 x 21' SS Galvanized 40 Pipe ASTM F 1043 Group IC			
Chain-link Fabric	2" x 9 Gauge (0.148) x 6' tall Aluminized Wire .30 oz/ft ² Aluminum Coating Meets			
	ASTM A 491			
Top Rail Ties	1 ⁷ / ₈ Brace Bands with 5/16 x 1 ¼ bolt at 12" centers			
Post Ties	2 ³ / ₈ Brace Bands with 5/16 x 1 ¼ " Bolts at 12 " centers			
Max sign size	4" x 8' mounted attached to fence at 1 foot increments around the sign			
Max height of sign	Top of sign must not exceed 5' off the ground			
Length of Fence	440 feet			
Height of fence	6'			
Pricing Today would be 9560.00				
-	Should probably add on 10% for possible rise in steel prices.			

9560.00 x.10 , 956.00 Moresse 9 560



SportsEdge®

Safety. Quality. Versatility. Esthetics.



CHAMPIONWAL

www.sportsedge.com



Linda Collins < lcollins193@gmail.com>

Tue, Nov 22, 2016 at 11:52 AM

WI - Montfort / ChampionWall _ SportsEdge

1 message

Steve Schuster <steve.schuster@sportsedge.com>

To: Icollins193@gmail.com

Hi Linda,

together easily. A section through the wall resembles an I-beam, which give the panels support within the foundation trench, prior to pouring concrete. We recommend for Pleasure speaking with you the other day regarding our ChampionWall® outfield wall system. As discussed, I am forwarding you product information for your review. The ChampionWall® is an extruded plastic wall system with the color impregnated into the plastic as it is extruded. The wall panels are tongue and groove, sliding (snapping) walls up to 6' high, a two (2') foot depth foundation, so an 8' wall would be provided for this application. Once in place we supply a substantial yellow top cap. It greatly defines the outfield wall and is equal to the depth of the "I". The cap is secured to the wall (as would distance numbers) through self-tapping screws. They are color matched

wall at \$26,000 \$22,400 wall / \$3,200 cap) for material (excluding freight). Estimate is based on supportive soils. Should the project move ahead with the ChampionWall, Budget pricing is based on approx. \$ 7.00 / st. for the panels and \$ 8.00 / If for the wall cap. Based on the 400' dimension you provided, I would conservatively price the we could provide engineered drawings if needed. Also conservatively, I would expect installation costs to double the material price.

I will forward you a second e-mail containing photos of recent ChampionWall installations.

Please let me know if you have any questions or needs for additional information. Have a wonderful Holiday!

-Steve

Steve Schuster

(412) 841-6574

Ohio Valley Regional Manager

SportsEdge


A Division Of ABT, Inc.


11/27/2016 1:29 PM


ChampionWall®


For many years SportsEdge® has led the way in identifying and responding to the needs of the sports construction marketplace by designing and supplying revolutionary products that improve the quality and aesthetics for sports facilities of all kinds. The ChampionWall® System is the latest innovation and addition to our SportsEdge® product line. SportsEdge is proud to be the exclusive distributor of ChampionWall®, the Athletic Fence System that takes your game to the next level!

ChampionWall is a baseball or softball outfield wall system made from extruded PVC. This high-performance athletic wall replaces outdated chain link fencing, padded outfield walls, and windscreens.










SPORTSEDGE® ChampionWall®

ChampionWall® is a sturdier, longer lasting, better looking alternative to chain link fences. With ChampionWall there is No Painting, No Denting, No Rust, No Rot, No Tearing and No Windscreens to attach. ChampionWall is the long-lasting, maintenance-free way to give your athletic program a true "stadium feel". ChampionWall adds to the granduer of your field with strong durable and resilient materials. It provides a nostalgic stadium feel with synthetic interlocking panels that create a sturdy wall that will stand the test of time. The same materials in ChampionWall are used for sea walls and reccomended by the U.S. Army Corp of engineers.





Product Features & Benefits

- Premium Aesthetics There's no Better Finished Appearance
- Sturdier & Longer Lasting than chain link fences, ChampionWall withstands the toughest conditions
- Hassle Free with Minimal Maintenance No Painting, No Denting, No Rust, No Rot, No Tearing and No Windscreens to attach.
- Variable Heights Tailor made to your requirements!
- Built-in Batters Eye in centerfield Optional
- Ease of Installation
- Eco-friendly Made from 98% Recycled Materials and is 100% Recyclable



Groundbreaking Innovation in the Field of Sports Walls. ChampionWall Keeps the Game In!

Eco Friendly

These sustainable wall panels contain over 98% recycled materials and are 100% recyclable.

Locked

Interlocking synthetic panels create a sturdy outfield wall that gives during impact.

Hassle Free with Minimal Maintenance

No painting. No denting. No rust. No rot. No tearing. No windscreens to attach. Obtain the lowest maintenance and service life requirements of any outfield wall or athletic fence.





Get the highest performing outfield wall with the lowest lifetime cost.

Design

Choose from our Challenger, Defender and Eliminator wall color designs to elevate your athletic program's spirit.







The configurations shown are considered typical and for budgetary purposes only. Please rely on your engineer for specific design recommendations. Because of the complexity of

geotechnical loading calculations and the susceptibility to extreme change of soil loads with minor changes in local site conditions such as soil parameters, water levels, surcharge loads, etc., the manufacturer strongly recommends the use of design professionals who are familiar with local wall construction to determine the required sheet piling and component capacities. The material contained within this drawing is not to be used for any project specific design.















DISCLAIMER: The customer and the customer's architects, engineers, consultants and other professionals are completely responsible for the selection, installation, and maintenance of any product purchased from ABT, and EXCEPT AS EXPRESSLY PROVIDED IN ABT'S STANDARD WARRANTIES, ABT MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO THE SUITABILITY, DESIGN, MERCHANTABILITY, OR FITNESS OF THE PRODUCT FOR CUSTOMER'S APPLICATION. Copies of ABT's standard warranties are available at www.abtdrains.com.





A Division of ABT®, Inc.

PO Box 837

259 Murdock Road

Troutman, NC 28166

info@sportsedge.com

05/16

REPAIRS NEEDED AT BALLFIELD----JANUARY 12, 2017

- 1. THE OUTFIELD LIGHTS NEED TO BE REWIRED
- 2. THE OUTFIELD NEEDS 400 FEET OF CHAINLINK FENCE WITH METAL POSTS
- 3. THE OUTFIELD GROUND SHOULD BE BROUGHT UP TO THE LEVEL BEFORE THE NEW FENCE IS INSTALLED
- 4. WE NEED A SCREEN OR NET BEHIND THE BACKSTOP TO REDUCE BALLS BEING LOST OR HITTING CARS
- 5. THE FENCE DOWN THE FIRST BASE LINE NEEDS TO BE EXTENDED TO REDUCE PEOPLE BEING HIT BY FOUL BALLS. THE EXISTING FENCE NEEDS TO BE INCREASED BY 2 FEET
- 6. THERE NEEDS TO BE CONCRETE DUGOUTS CREATED TO ELIMINATE THE HEAVY RAIN FROM WASHING OUT THE INFIELD AND CREATING LARGE RUTS
- 7. THE CONCESSION STAND NEEDS NEW COUNTERTOPS AND TOILETS IN BOTH BATHROOMS
- 8. THE CONSESSION STAND NEEDS 5 FEET ADDED TO THE ROOF SO THAT THE GUTTERS CAN CARRY THE WATER AWAY FROM THE PEOPLE STANDING UNDER THEM

CONTACTS:

CONTACTED ESSER ELECTRIC OF COBB----ESTIMATE--\$2000.00

CONTACTED GRASS-PRO OF MONTFORT---\$2400.00

CONTACTED BUDDY SIMONS OF MONTFORT---\$600.00

CONTACTED MENARDS OF PLATTEVILLE---\$240.00 PER TOILET, COUNTERTOP DEPENDS ON LENGTH AND QUALITY

CONTACTED SEVERAL FENCE COMPANIES FOR QUOTES ON FENCES. THOSE QUOTES ARE INCLUDED WITH GRANT AND ARE THE ONES THAT OBVIOUSLY NEED TO BE FIXED FIRST